

नेपाल बहुउद्देश्यीय सहकारी संस्था लि. भापाको

शिलबन्दी कोटेसन आह्वान सम्बन्धमा

प्रथम पटक प्रकाशित मिति : २०७९/१०/१४

प्रस्तुत विषयमा यस नेपाल बहुउद्देश्यीय सहकारी संस्था लि. र प्रधानमन्त्री कृषि आधुनिकीकरण परियोजना, परियोजना कार्यान्वयन ईकाइ भापा विच भएको सम्झौता अनुसार तपशिल अनुसारका सामग्री खरिद गर्नुपर्ने भएको हुँदा मिति २०७९/११/०५ गते शुक्रवार भित्र निम्न स्पेशिफिकेशन अनुसारका सामग्रीहरूको दरभाउ सहित शिलबन्दी कोटेशनका लागि आह्वान गरिन्छ।

तपशिल :

१. कोटेसन पेश गर्नुपर्ने सामग्रीको विवरण निम्न अनुसार रहेको छ।

(क) कम्वाइण्ड हार्भेष्टर (रबर चेन : भारतिय कम्पनी)

Specification of Combine Harvester		
Parameters		Required specification
A	Brand	Any
	Model	Any latest model within 5 years
Engine	Type	Minimum 4-cylinder self propelled type
	HP	75-100 Hp
	Cooling system	Water Cooling
	Rated engine speed	2000-2600 rpm
Transmission	Type	Fully Hydro Static minimum 3 forward+1 reverse
	Speed	0-10kmph
Cutter Bar	Width	Minimum 2300mm
	Height Adjustment	Hydraulically
	Height Minimum	100mm
	Height Maximum	1000mm
Reel	Type	Pick up
	Speed Adjustment	Mechanically
	Height Adjustment	Hydraulically
Thresher Drum	Diameter of Drum	Minimum 600mm
	Length of Drum	Minimum 765mm
	Speed of Drum	600 to 950 rpm
	Adjustment	Mechanically
	No of Spikers	Minimum 90
Straw Walker	No of Straw Walker	Not less than 4

Dimension and weight	Total weight	not less than 4500kg
	Overall height	not less than 2820mm
	Overall length	not less than 5015mm
	Overall width	not less than 2350mm
	Hydraulic Auger	Optional (on demand)
Cleaning	Area	minimum 13135 sq.cm
	Type	Forced Air Cleaning
	Adjustment	Mechanically
Wheels and Tyre	Wheel Drive	Track Driven
	Tyre	Chain/Rubber (Optional)
Brake	Type	Hydraulic
Warrenty	Years	2years or more
Essential Accessories	Equipped with all accessories offered in standard model but not limited to the above items. The accessories / features supplied with the Combine Harvester shall be as per manufacturer's standard.	
Instructions	All signs and instructions in the vehicle shall be in English.	
Manuals	One copy of the Operator's and Owner's Instructions in English shall be supplied with each vehicle.	
Tools	A set of tools as required for general maintenance shall be supplied.	
Proven performance	The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance of the engine.	
Training	The suppliers should provide a training for General maintenance training of combine harvester, as well as Operational training at least 7 days for 3 farmers/operator/driver.	
Initial Service	The supplier shall provide the vehicle all the necessary filters and spare parts required for the first two services, after the vehicle has been accepted.	
Additional	Suppliers must have nearby service center for maintenance.	
Note: Inspection test is done on arrival of material on field and watching company tag and catalogs.		

(ख) राईस ट्रान्सप्लान्टर (चार चक्के)

Technical Specification For Riding Type Rice Transplanter		
S.N	Particulars	Requirement
1	General	Self Propelled 4 wheeled Rice transplanter riding type Suitable agricultural machinery for transplanting of Paddy seedlings.
2	Engine	Water Cooled, 4 stroke Diesel Engine
3	Starting System	Self Starter

4	Steering System	Hydraulic
5	Transplanting Mechanism	Rotary Type
6	No of Rows	6
7	Row Spacing	300 mm
8	Plant to plant spacing	120 mm-240 mm
9	Planting depth	5mm - 50 mm
10	Planting pitch Control	Adjustable
11	Planting Depth Control	Adjustable
12	Wight	less than 1000 kg
13	Tires (mm)	Front 600 to 650 & Rare 850 to 900), Radial Tubeless/Puncture free Tyres
14	No of Seedings	1 to 8
15	No of Spare Seedling Rack	6
16	Brakes	Oil Immersed Brake/Dry disc Brake
17	Ground Clearance	High ground clearance preferred, minimum 400 mm.
18	Fuel Tank Capacity	more than 15 ltr
19	Tray Size	30 cm x 60cm
20	Tools	A set of tools as required for general maintenance shall be supplied.
21	Color	Standard Color
	* The Major Items Are Indicated by bold and highlighted letters/alphabets/figures in the technical specifications.	
	Non-compliance of these major items will result in non-responsiveness of the bid offered.	

(ग) कम्वाइण्ड हार्भेष्टरमा जोडने बेलर

Specification For Riding Baler

S.No.	Description	Product Specification		QTY	Remarks
1	Baler	Working width (mm)	1600	1	
		Bale Chamber Width*Height (mm)	460*360		
		Bale Length (mm)	400*1300		
		Pick-up system	Hydraulic		
		PTO Shaft Speed	540		
		Overall Length* Breadth*Height (mm)	4220*2430*1630		

२. कोटेसन पेस गर्दा भ्याट सहितको मूल्य, कम्पनीको नाम, ब्राण्ड, स्पेसिफिकेसन स्पष्ट रुपमा खुलाउनु पर्नेछ।
३. सामाग्री एनएमसी एकिकृत नमुना कृषि फर्म (मेचीनगर नगरपालिक-१४, दुवागढी) सम्म डेलिभरी, जडान, तालिम गर्दाको सर्त र अवधि समेत उल्लेख गर्नुपर्नेछ।
४. कोटेसन सम्बन्धी अन्तिम निर्णय गर्ने अधिकार संस्थामा निहित रहनेछ।
५. सिलबन्दी कोटेसन यस फर्मको कार्यालयमा बुझाउनु पर्नेछ।
६. कम्पनीको डिस्टीब्युटर अथोराईजेसन लेटर, परफरमेन्स लेटर र कम्पनीको नविकृत कागजातहरु पेश गर्नुपर्ने छ।
७. प्रधानमन्त्री कृषि आधुनिकीकरण परियोजना, परियोजना कार्यान्वयन ईकाइ भाषामा सुचीकृत भएको पत्र पेश गर्नुपर्नेछ।

थप जानकारीका लागि : ९८५२६८९४००, ९८५२६८९४५३

- एनएमसी एकिकृत नमुना कृषि फर्म